

Product data sheet

Specifications

Asfora - horizontal 3-gang frame - cream



EPH5800323

Main

Range of product	Asfora
Range	Asfora
Product or component type	Cover frame
Number of gangs	3 gangs
Installation direction	Horizontal
Type of packing	Flow-pack
Colour tint	Cream
Material	ABS (acrylonitrile butadiene-styrene)
Height	83 mm

Complementary

Surface finish	Glossy
IP degree of protection	IP20
Width	225 mm
Depth	9 mm
Projecting depth	9 mm
Net weight	0.027 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.500 cm
Package 1 Width	9.000 cm
Package 1 Length	23.000 cm
Package 1 Weight	29.500 g
Unit Type of Package 2	BB1
Number of Units in Package 2	15
Package 2 Height	9.500 cm
Package 2 Width	18.500 cm
Package 2 Length	27.500 cm
Package 2 Weight	511.000 g

Unit Type of Package 3	S03
Number of Units in Package 3	90
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	3.465 kg

Contractual warranty

Warranty	18 months
-----------------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1
---	---

Use Better

Materials and Substances

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	REACH Declaration
China RoHS Regulation	China RoHS declaration

Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No