

# Product data sheet

Specifications

## Asfora - horizontal 4-gang frame - cream



EPH5800423

### Main

Range of product	Asfora
Range	Asfora
Product or component type	Cover frame
Number of gangs	4 gangs
Installation direction	Horizontal
Type of packing	Flow-pack
Colour tint	Cream
Material	ABS (acrylonitrile butadiene-styrene)
Height	83 mm

### Complementary

Surface finish	Glossy
IP degree of protection	IP20
Width	296 mm
Depth	9 mm
Projecting depth	9 mm
Net weight	0.036 kg

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.000 cm
Package 1 Width	9.000 cm
Package 1 Length	30.000 cm
Package 1 Weight	38.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	75
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	3.272 kg

<b>Unit Type of Package 3</b>	P12
<b>Number of Units in Package 3</b>	2400
<b>Package 3 Height</b>	160.000 cm
<b>Package 3 Width</b>	80.000 cm
<b>Package 3 Length</b>	120.000 cm
<b>Package 3 Weight</b>	116.704 kg

## **Contractual warranty**

<b>Warranty</b>	18 months
-----------------	-----------

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1
---	---

## Use Better

### Materials and Substances

<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	<a href="#">REACH Declaration</a>
China RoHS Regulation	<a href="#">China RoHS declaration</a>

## Use Again

### Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No