

Product data sheet

Specifications



Unica Class - cover frame - 4 gangs - slate

MGU68.008.7Z1

⚠ Discontinued on: Sep 30, 2023

⚠ Discontinued

Main

Range	Unica
Device application	Mounting
Product or component type	Cover frame
Aesthetic name	Unica Class
Number of gangs	4 gangs horizontal 4 gangs vertical
Fixing mode	Clip-in
Cover frame colour tint	Slate

Complementary

Material	ASA + PC: intermediate part PC: intermediate part Zamak: cover frame
Standards	EN 60669-1
Height	93 mm
Width	315 mm
Depth	11 mm
Distance between centers	71 mm
Net weight	0.357 kg
Market segment	Residential Small commercial

Environment

IK degree of protection	IK01
IP degree of protection	IP20
Environmental characteristic	Bleach Acetone Window-cleaning fluid Petrol Liquid soap Oil UV resistant Alcohol

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
Package 1 Height	3.500 cm
Package 1 Width	11.500 cm
Package 1 Length	35.000 cm
Package 1 Weight	342.000 g
Unit Type of Package 2	S01
Number of Units in Package 2	4
Package 2 Height	15.000 cm
Package 2 Width	15.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	1.515 kg
Unit Type of Package 3	P06
Number of Units in Package 3	128
Package 3 Height	75.000 cm
Package 3 Width	80.000 cm
Package 3 Length	60.000 cm
Package 3 Weight	56.480 kg

Contractual warranty

Warranty	18 months
----------	-----------



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better

Materials and Substances

China RoHS Regulation

[China RoHS declaration](#)

Use Again

Repack and remanufacture

Circularity Profile

No need of specific recycling operations